

AD 661083

AD



MONTHLY  
MICROCLIMATIC SUMMARY

APRIL 1967


ENVIRONMENTAL DATA BASE  
FOR REGIONAL STUDIES IN THE HUMID TROPICS

USATECOM Project No. 9-4-0013-01

US ARMY  
TROPIC TEST CENTER  
Fort Clayton, Canal Zone

Sponsored by

Advanced Research Projects Agency, ARPA Order No. 740  
Army Research Office, OCARD, Project No. 2M025001A724 01



**BEST  
AVAILABLE COPY**

CC	REF
CFSTI	WHITE SECTION <input checked="" type="checkbox"/>
DDC	BUFF SECTION <input type="checkbox"/>
D. A. BOUNCES	<input type="checkbox"/>
JOURNALIZATION	
.....	
BY	
DISTRIBUTION/AVAILABILITY CODES	
DIST.	AVAIL. and or SPECIAL
/	

Destroy this report when it is no longer needed. Do not return it to the originator.

The findings in this report are not to be construed as an official Department of the Army position unless so designated by other authorized documents.

The use of trade names in this report does not constitute an official endorsement or approval of such commercial hardware or software. This report may not be cited for purposes of advertisement.

---

Distribution of this document is unlimited

---

ENVIRONMENTAL DATA BASE  
FOR REGIONAL STUDIES IN THE HUMID TROPICS

MONTHLY  
MICROCLIMATIC SUMMARY

APRIL 1967

Prepared by

Michael A. Fradel, Project Officer  
and  
Dr. Wilfried H. Portig, Meteorologist

USATECOM Project No. 9-4-0013-01

This research was supported by the Advanced Research Projects Agency of the Department of Defense and by the Army Research Office, OCRC, Department of Army

Conducted by

US Army  
Tropic Test Center  
Fort Clayton, Canal Zone  
with contractual services provided by  
Weather Engineers of Panama Corp.

Disregard all references to satellite sites.

---

Distribution of this document is unlimited

**BLANK PAGE**

## TABLE OF CONTENTS

	<u>Page</u>
Introduction . . . . .	1
Sites. . . . .	1
Instrumentation. . . . .	1
Data Reduction and Storage . . . . .	2
 Figures	
1. Location Map, Isthmus of Panama. . . . .	3
2. Frequency of Observations. . . . .	4
3. Albrook Forest Site, Generalized Plot. . . . .	5
4. Chiva Chiva Open Site, Generalized Plot. . . . .	6
5. Instrument Location on Towers. . . . .	7
 Data Summary Sheets	
Monthly Means of Air Temperature by Hour . . . . .	8
Monthly Ranges of Air Temperature by Hour. . . . .	9
Monthly Means of Relative Humidity by Hour . . . . .	10
Monthly Ranges of Relative Humidity by Hour. . . . .	11
Monthly Means of Other Elements by Hour. . . . .	12
Monthly Means of Soil Surface Temperature by Hour	
Monthly Means of Wet Bulb Temperature by Hour	
Monthly Means of Barometric Pressure by Hour	
Monthly Means of Precipitation by Hour	
Monthly Totals of Precipitation	
Monthly Ranges of Other Elements by Hour. . . . .	13
Monthly Ranges of Soil Surface Temperature by Hour	
Monthly Ranges of Wet Bulb Temperature by Hour	
Monthly Ranges of Barometric Pressure by Hour	
Monthly Ranges of Precipitation by Hour	
Monthly Means of Wind Speed by Hour. . . . .	14
Monthly Ranges of Wind Speed by Hour . . . . .	15
Relative Frequencies of Wind Directions (46 meters, Albrook) . .	16
Relative Frequencies of Wind Directions (26.5 meters, Albrook) ..	17
Relative Frequencies of Wind Directions ( 4 meters, Albrook). . .	18
Relative Frequencies of Wind Directions (46 meters, Chiva Chiva). . . . .	19
Relative Frequencies of Wind Directions (26.5 meters, Chiva Chiva). . . . .	20
Relative Frequencies of Wind Directions (4 meters, Chiva Chiva). . . . .	21
Summary of Elements with Non-Hourly Frequencies of Observation. . . . .	22
WBGT (Albrook)	
Evaporation (Albrook)	
Precipitation (Manual gauge network, Albrook)	
Precipitation (Stem Flow, Albrook)	
WBGT (Chiva Chiva)	

TABLE OF CONTENTS (cont'd)

Minimum Grass Temperature (Chiva Chiva)  
Maximum Temperature (Albrook satellite)  
Minimum Temperature (Albrook satellite)  
Maximum Relative Humidity (Albrook satellite)  
Minimum Relative Humidity (Albrook satellite)  
Precipitation (Albrook satellite)  
Maximum Temperature (Fort Kobbe satellite)  
Minimum Temperature (Fort Kobbe satellite)  
Maximum Relative Humidity (Fort Kobbe satellite)  
Minimum Relative Humidity (Fort Kobbe satellite)  
Precipitation (Fort Kobbe satellite)  
Maximum Temperature (Fort Sherman satellite)  
Minimum Temperature (Fort Sherman satellite)  
Maximum Relative Humidity (Fort Sherman satellite)  
Precipitation (Fort Sherman satellite)

## MONTHLY MICROCLIMATIC SUMMARY

### Introduction

Monthly microclimatic data summarized in this series of reports were collected by the US Army Tropic Test Center and the Weather Engineers of Panama Corporation under the project, Environmental Data Base for Regional Studies in the Humid Tropics. The project is sponsored by the Advanced Research Projects Agency of the Department of Defense and by the Army Research Office, Office of the Chief of Research and Development. It is an investigation of microclimatic, air chemistry, vegetation, soils, microbiological, and macrofaunal conditions at selected sites in the principal tropical environments of the Panama Canal Zone and the Rio Hato Military Reservation. The objective of the project is to assemble quantitative environmental data for RDT&E purposes.

Sites. Data summarized in this report were collected at the Albrook Forest and Chiva Chiva sites. Figure 1 shows the site locations within the Isthmus of Panama. Geographic coordinates are shown below:

Albrook Forest	09° 01'N, 79° 33'W
Chiva Chiva	09° 01'N, 79° 35'W
Fort Kobbe (satellite)	08° 54'N, 79° 34'W
Fort Sherman (satellite)	09° 16'N, 79° 59'W
Albrook (satellite)	09° 00'N, 79° 33'W

The Chiva Chiva open site and the Albrook Forest site are paired for comparative study of environmental conditions in a tropical semideciduous forest and in a large clearing. Both are located in a region where the annual precipitation is approximately 80 inches and there is a pronounced dry season. The other satellite sites were located primarily for soil studies purposes. Albrook and Fort Kobbe have climatic regimes similar to the principal sites.

The Albrook and Chiva Chiva main sites are approximately four kilometers apart. Each has a 46-meter walk-up tower and an air-conditioned building to house the recording equipment and observers. Both sites are approximately 30 meters above sea level. The top of the forest canopy at the Albrook site is about 26.5 meters above the ground.

Instrumentation. A wide range of climatic elements are measured at the Albrook and Chiva Chiva sites. Types of observations and frequencies are shown on Figure 2. The towers at the Albrook and Chiva Chiva sites are similarly oriented. Sensing equipment is mounted at several levels on the towers to provide measurements through the vertical profile. Additional instruments are emplaced in the immediate vicinity on or near the ground.

All instrument exposures are duplicated at each site. Figures 3, 4, and 5 show the instrument array at these sites.

Data Reduction and Storage. All data, as applicable, are recorded at or reduced to each full hour and transposed to punch cards. These punch cards, together with all raw data, are stored in the Tropic Test Center Technical Library Annex.




FIGURE 1.  
LOCATION MAP, Isthmus of Panama

FIGURE 2. FREQUENCY OF OBSERVATIONS

	Height (meters)									
# Element	.50	0.5	1.0	2.0	4.0	8.0	13.5	26.5	46.0	Frequency
<b>Temperature:</b>										
Dry Bulb	2	2	1	2	2	2	2	2	2	Hourly*/Continuously
Wet Bulb	1	2	-	2	2	-	-	-	-	Hourly*/Continuously
Grass Minimum	1	-	-	-	-	-	-	-	-	Once Daily
WBGT Index	-	-	2	-	-	-	-	-	-	Hourly(0600-15:00 EST)
Relative Humidity	-	2	1	2	2	2	2	2	2	Hourly*/Continuously
Barometric Pressure	-	-	2	-	-	-	-	-	-	Continuously
Evaporation	2	-	-	-	-	-	-	3	3	Once Daily
<b>Precipitation:</b>										
Recording Gage	-	-	1	-	-	-	-	-	-	Continuously
Manual Gage	-	-	3	-	-	-	-	-	-	4 Times Daily
Stem Flow	-	-	3	-	-	-	-	-	-	4 Times Daily
<b>Wind:</b>										
Direction	-	-	-	-	2**	5	-	-	-	Continuously
Speed	-	-	-	-	2**	5	-	2**	2**	2 Hourly*/Continuously

1. All sites
2. Albrock and Chiva Chiva
3. Albrock only
4. Chiva Chiva only
5. Main sites

\* Observation made with sling psychrometer when recorders are inoperative.

\*\* Hourly.

# Instrument descriptions are contained in the Environmental Data Base semianual reports.




FIGURE 3.  
ALBROOK FOREST SITE, GENERALIZED PLOT




FIGURE 4.  
CHIVA CHIVA OPEN, GENERALIZED PLOT




FIGURE 5.  
INSTRUMENT LOCATION ON TOWERS

**SUMMARY OF METEOROLOGICAL OBSERVATIONS**  
**HOURLY DATA**  
**APRIL 1967**

Exposure	Site	Level	Monthly Means of Air Temperature by Hour (°C F)																								Monthly Summary				
			01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	N <sub>o</sub> of Obs.	Min.	Medn.	Max.	
	46.0 m	75.6	75.3	75.1	74.7	74.6	74.5	75.8	78.6	82.4	84.7	84.8	85.3	85.9	85.1	84.0	83.3	81.6	79.0	78.1	77.5	77.0	76.6	76.3	76.0	677	70.1	79.0	91.4		
	28.5 m																														
	26.5 m	74.9	74.7	74.3	74.1	73.8	73.8	75.6	78.7	82.9	84.9	85.2	85.8	86.3	85.8	84.4	83.5	81.9	79.7	77.5	76.9	75.9	75.5	75.2	715	69.0	79.0	92.0			
	13.5 m	74.6	74.5	74.2	73.8	73.5	73.3	74.0	76.6	79.9	82.2	83.4	84.1	84.3	84.5	83.0	82.3	81.7	79.7	78.0	77.0	76.5	75.9	75.5	75.0	719	68.2	78.2	91.9		
	8.0 m	74.4	74.3	74.0	73.6	73.3	73.1	73.1	73.9	77.0	80.0	82.5	83.6	84.0	84.5	84.0	82.7	82.3	80.9	79.1	77.7	76.7	76.1	75.6	75.1	74.7	716	68.1	78.0	92.6	
	4.0 m	74.0	73.7	73.5	73.2	72.8	72.6	73.9	77.2	80.1	82.4	83.2	84.2	84.8	84.2	82.5	82.5	82.8	80.9	79.0	77.4	76.4	75.8	75.2	74.7	74.3	704	67.2	77.8	92.4	
	2.0 m	73.9	73.6	73.5	73.1	72.9	72.6	73.8	77.0	79.7	82.2	83.2	84.4	84.8	84.3	82.5	82.5	82.5	80.9	79.0	77.3	76.4	75.7	75.2	74.6	74.2	706	67.2	77.8	92.7	
	1.0 m	74.3	74.2	73.9	73.7	73.4	72.6	73.6	77.0	79.8	82.6	83.7	84.3	85.1	84.1	84.5	82.2	82.4	81.1	79.2	77.4	76.8	76.0	75.5	75.0	74.6	697	68.2	77.9	92.5	
	0.5 m	74.4	74.3	74.0	73.7	73.5	73.0	73.7	76.6	79.3	82.6	83.5	84.7	85.0	84.6	82.9	82.7	81.1	79.5	77.8	76.8	76.3	75.6	75.1	74.6	720	67.7	78.1	93.3		

Chitva Chitva (Open site)	46.0 m	75.8	75.7	75.3	75.2	75.0	74.8	76.3	79.3	81.4	84.3	85.2	84.7	84.5	83.7	82.9	81.3	79.9	78.6	78.0	77.3	76.9	76.6	76.1	712	70.7	79.2	89.8		
	28.5 m																													
	26.5 m	75.8	75.6	75.2	75.0	74.6	74.6	76.0	78.9	81.7	83.3	84.3	85.3	84.9	84.8	84.2	83.4	81.6	80.4	79.0	78.3	77.6	77.1	76.7	76.3	720	70.0	79.4	90.3	
	13.5 m	75.5	75.2	75.0	74.8	74.4	74.3	75.8	78.7	81.9	83.5	84.5	85.1	85.5	84.3	84.0	83.5	81.6	80.4	78.8	78.1	77.4	77.0	76.4	76.0	720	69.1	79.3	90.2	
	8.0 m																													
	4.0 m	75.2	74.9	74.5	74.1	73.9	73.7	76.0	80.2	83.3	85.3	86.5	87.0	86.6	86.5	85.4	82.6	80.7	79.0	78.1	77.3	76.7	76.1	75.6	716	68.1	79.8	93.9		
	2.0 m	75.0	74.7	74.3	73.9	73.7	73.5	76.0	80.4	83.4	85.5	86.6	87.2	86.6	86.7	85.6	82.6	80.6	78.7	77.7	77.1	76.4	75.8	75.4	716	67.7	79.7	93.7		
	1.0 m	74.8	74.6	74.2	74.0	73.6	73.4	76.6	81.8	84.5	87.3	88.8	88.9	88.2	88.1	87.2	86.1	83.1	80.8	78.9	77.9	76.9	76.3	75.8	75.3	712	67.5	80.2	97.0	
	0.5 m	74.9	74.8	74.4	74.1	73.7	73.6	73.4	80.1	83.3	86.3	88.0	89.1	88.0	87.6	86.9	85.5	82.8	80.5	78.4	77.5	76.7	76.1	75.6	75.2	719	68.6	79.5	97.5	

**SUMMARY OF METEOROLOGICAL OBSERVATIONS  
HOURLY DATA**

APPENDIX 1967

Exposure	Site	Monthly Ranges of Air Temperature by Hour (° F)																								Monthly Summary*
		01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	
Albrook (Forest Site)	46.0 m	6.6	6.9	7.1	7.6	7.9	8.0	6.7	DTP	DTP	DTP	DTP	DTP	DTP	DTP	6.8										
	28.5 m	7.5	8.0	8.2	9.5	8.4	8.8	9.0	12.6	14.1	13.5	13.4	15.5	18.0	17.7	17.0	16.4	11.5	6.4	6.9	7.9	8.3	8.3	8.4	8.4	8.4
	26.5 m	7.0	7.4	7.7	8.2	8.7	7.5	10.2	2.4	13.1	13.6	15.3	17.0	15.0	16.0	14.7	10.4	7.9	7.0	6.9	7.2	7.3	7.1	7.1	7.1	
	13.5 m	7.1	7.2	7.9	8.4	9.5	8.6	7.2	10.6	14.7	13.2	13.8	15.1	18.5	16.8	16.3	13.1	10.8	8.8	6.8	7.5	6.6	6.2	7.4	7.4	
	8.0 m	6.8	7.7	8.7	8.9	10.1	8.9	8.0	10.5	12.4	13.4	12.9	16.5	18.6	16.6	17.6	13.6	10.7	8.4	7.6	7.8	7.5	6.2	7.0	7.0	
	4.0 m	6.8	7.2	8.5	8.8	9.8	8.9	7.7	10.4	13.3	12.9	12.7	16.0	18.3	16.5	17.5	15.7	10.7	8.4	7.6	7.7	7.3	6.4	6.8	6.8	
	2.0 m	6.7	7.3	8.0	8.2	8.5	9.8	7.6	10.7	13.8	13.9	15.0	16.8	17.5	17.1	15.7	14.2	11.0	8.8	7.0	7.1	6.7	6.4	5.8	5.8	
	0.5 m	7.4	7.9	7.7	7.6	6.9	9.0	8.9	7.9	10.3	14.0	13.3	14.7	15.6	18.4	16.4	16.9	13.4	10.1	8.2	8.2	7.7	7.0	6.3	6.1	

the intensity summary was computed for the ranges.

CHIVA CHIVA (Open Site)											
46.0 m	6.1	6.3	6.1	6.4	6.8	6.7	6.9	8.5	11.2	12.5	14.4
28.5 m											
26.5 m	7.5	8.0	8.2	7.6	7.8	7.3	6.8	8.8	11.7	12.1	14.0
13.5 m	7.6	7.6	7.8	8.4	8.6	6.9	8.0	10.8	12.2	14.0	13.8
8.0 m											
4.0 m	8.1	8.6	9.4	9.4	9.6	9.8	8.7	9.8	13.1	12.7	15.8
2.0 m	7.8	8.2	8.9	9.1	9.2	10.5	7.9	9.7	12.9	13.2	15.7
1.0 m	8.4	8.7	9.7	9.5	10.0	10.0	8.7	11.8	15.1	15.7	19.0
0.5 m	6.3	6.5	7.7	8.3	8.7	8.7	8.0	10.3	13.5	17.2	19.2

**SUMMARY OF METEOROLOGICAL OBSERVATIONS**  
**HOURLY DATA**  
**APRIL 1967**

Exposure	Site	Level	Monthly Means of Relative Humidity by Hour (%)																								Monthly Summary			
			01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	No. of Obs.	Min.	Mean	Max.
	4	87	88	90	90	90	91	88	80	69	65	64	64	64	67	69	70	73	77	81	82	85	86	87	692	49	79	97		
	28.5 m	90	91	91	92	92	92	89	82	72	67	65	66	65	66	70	71	74	78	83	85	87	87	88	717	49	80	98		
	26.5 m	91	91	92	93	93	93	93	88	79	73	71	69	68	69	73	74	75	78	82	83	87	68	89	719	53	83	99		
	13.5 m	91	91	92	93	93	93	93	93	93	93	93	93	93	93	93	93	93	93	93	93	93	93	93	692	49	79	97		
	8.0 m																													
	4.0 m	94	94	94	94	94	94	95	90	30	74	73	71	69	70	77	76	80	83	86	89	90	91	92	93	711	48	85	100	
	2.0 m	94	95	95	95	95	95	96	96	96	91	82	76	74	71	70	78	77	80	84	87	90	90	91	93	94	712	44	86	100
	1.0 m	94	94	94	94	94	94	95	95	95	95	93	84	78	74	71	72	73	77	80	84	87	89	90	91	93	701	51	86	100
	0.5 m	93	94	94	94	94	94	95	95	95	95	92	86	81	76	72	72	78	81	84	87	89	90	91	93	719	48	86	100	
	Albrook (Forest site)																													
	46.0 m	87	88	88	89	90	89	87	80	74	68	65	63	64	64	66	68	72	76	80	82	84	85	86	87	720	46	78	97	
	28.5 m	88	88	89	90	90	90	90	37	79	72	67	63	61	64	64	65	67	72	76	79	82	83	85	86	87	720	43	78	98
	26.5 m	88	88	89	89	90	91	91	88	79	72	66	62	61	63	63	64	66	71	76	79	82	84	85	86	87	720	41	78	99
	13.5 m																													
	8.0 m																													
	4.0 m	89	90	91	92	92	92	92	88	78	70	65	61	61	62	62	64	71	75	79	82	84	86	87	88	717	44	78	100	
	2.0 m	90	91	92	93	93	93	93	89	78	70	64	62	61	62	62	64	72	77	81	83	85	87	88	89	716	44	79	100	
	1.0 m	90	91	92	93	92	92	92	90	89	71	64	61	60	62	63	66	72	78	82	85	87	88	89	90	720	43	79	99	
	0.5 m	90	91	91	92	92	92	92	91	81	72	65	61	60	63	63	65	67	73	73	83	85	87	88	89	90	719	42	80	100
	Chitva Chitva (Open site)																													

Exposure	Site	Level	Monthly Means of Relative Humidity by Hour (%)																								Monthly Summary				
			01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	No. of Obs.	Min.	Mean	Max.	
	4	87	88	90	90	90	91	88	80	69	65	64	64	64	67	69	70	73	77	81	82	85	86	87	692	49	79	97			
	28.5 m	90	91	91	92	92	92	89	82	72	67	65	66	65	66	70	71	74	78	83	85	87	87	88	717	49	80	98			
	26.5 m	91	91	92	93	93	93	93	88	79	73	71	69	68	69	73	74	75	78	82	83	87	68	89	719	53	83	99			
	13.5 m	91	91	92	93	93	93	93	93	93	93	93	93	93	93	93	93	93	93	93	93	93	93	93	93	719	42	80	100		
	8.0 m																														
	4.0 m	94	94	94	94	94	94	95	90	30	74	73	71	69	70	77	76	80	83	86	89	90	91	92	93	711	48	85	100		
	2.0 m	94	95	95	95	95	95	96	96	96	91	82	76	74	71	70	78	77	80	84	87	90	90	91	93	712	44	86	100		
	1.0 m	94	94	94	94	94	94	95	95	95	95	93	84	78	74	71	72	73	77	80	84	87	89	90	91	93	701	51	86	100	
	0.5 m	93	94	94	94	94	94	95	95	95	95	92	86	81	76	72	72	78	81	84	87	89	90	91	93	719	48	86	100		
	Chitva Chitva (Open site)																														
	46.0 m	87	88	88	89	90	89	87	80	74	68	65	63	64	64	66	68	72	76	80	82	84	85	86	87	720	46	78	97		
	28.5 m	88	88	89	90	90	91	91	91	87	79	72	67	63	61	64	64	65	67	72	76	79	82	83	85	86	87	720	43	78	98
	26.5 m	88	88	89	89	90	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91	91
	13.5 m																														
	8.0 m																														
	4.0 m	89	90	91	92	92	92	92	92	88	78	70	65	61	61	62	62	64	71	75	79	82	84	86	87	88	717	44	78	100	
	2.0 m	90	91	92	93	93	93	93	93	93	93	93	93	93	93	93	93	93	93	93	93	93	93	93	93	93	93	93	93	93	93
	1.0 m	90	91	92	93	92	92	92	92	92	90	89	78	70	64	61	62	62	64	72	77	81	83	85	87	88	89	716	44	79	100
	0.5 m	90	91	91	92	92	92	92	92	92	91	91	92	92	91	91	92	92	91	91	92	93	93	93	93	93	93	93	93	93	93
	Chitva Chitva (Open site)																														

SUMMARY OF METEOROLOGICAL OBSERVATIONS  
HOURLY DATA  
APRIL 1967

Exposure	Site	Level	Monthly Ranges of Relative Humidity by Hour (%)																								Monthly Summary*	
			01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24		
Aldrook (Forest Site)	46.0 m	19	15	16	17	14	17	17	26	38	37	39	45	46	43	44	46	37	39	31	34	26	23	21	19			
	28.5 m	16	14	15	13	17	18	26	36	37	40	46	47	44	45	49	41	36	23	22	20	19	17	16				
	26.5 m	16	16	14	15	13	17	18	26	36	37	40	46	47	44	45	49	41	36	23	22	20	19	17	16			
	13.5 m	16	16	13	12	12	13	15	20	27	35	37	42	45	44	44	46	41	37	30	29	26	24	21	20			
	8.0 m																											
	4.0 m	16	14	14	16	14	16	15	22	30	38	42	46	49	51	49	49	40	35	28	26	23	20	15	17			
	2.0 m	14	14	15	15	13	15	12	20	29	37	39	47	48	52	49	48	41	36	28	24	23	20	15	15			
	1.0 m	12	11	11	10	12	12	10	17	29	33	39	45	47	48	47	46	39	33	25	20	18	15	14	11			
	0.5 m	17	19	17	15	16	16	17	19	28	34	38	46	45	51	47	44	40	33	27	25	22	17	15	18			

1

No monthly summary was computed for the ranges.

Climatic Chiva (Open site)	This level was not instrumented for relative humidity at this time												This level was instrumented for relative humidity at this time												
	0.5 m	1.0 m	2.0 m	4.0 m	6.0 m	8.0 m	13.5 m	16.0 m	18.5 m	26.5 m	28.5 m	46.0 m	0.5 m	1.0 m	2.0 m	4.0 m	6.0 m	8.0 m	13.5 m	16.0 m	18.5 m	26.5 m	28.5 m	46.0 m	
0.5 m	14	12	16	13	14	20	14	22	30	36	41	43	48	50	46	45	44	38	30	24	20	19	20	18	
1.0 m	13	11	15	12	13	19	13	21	29	35	40	42	47	49	51	47	46	45	39	31	26	21	20	22	18
2.0 m	14	12	17	15	16	21	15	26	31	33	37	44	48	54	48	47	49	37	30	26	21	20	22	18	
4.0 m	17	15	19	17	18	25	15	25	32	36	39	47	52	57	51	50	50	39	31	27	22	21	23	19	
6.0 m	16	14	18	15	17	21	15	25	32	36	39	47	52	57	51	50	50	39	31	27	22	21	23	19	
8.0 m	17	15	19	17	18	25	15	25	32	36	39	47	52	57	51	50	50	39	31	27	22	21	23	19	
13.5 m	16	15	18	15	17	21	15	25	32	36	39	47	52	57	51	50	50	39	31	27	22	21	23	19	
16.0 m	16	14	18	15	17	21	15	25	32	36	39	47	52	57	51	50	50	39	31	27	22	21	23	19	
18.5 m	16	14	18	15	17	21	15	25	32	36	39	47	52	57	51	50	50	39	31	27	22	21	23	19	
26.5 m	16	15	18	15	17	21	15	25	32	36	39	47	52	57	51	50	50	39	31	27	22	21	23	19	
28.5 m	16	15	18	15	17	21	15	25	32	36	39	47	52	57	51	50	50	39	31	27	22	21	23	19	
46.0 m	16	14	18	15	17	21	15	25	32	36	39	47	52	57	51	50	50	39	31	27	22	21	23	19	

**SUMMARY OF METEOROLOGICAL OBSERVATIONS**  
**HOURLY DATA**  
**APRIL 1967**

Exposure	Site	Code	Monthly Means <sup>2</sup> of other Elements by Hour																								Monthly Summary			
			01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	No. of Obs.	Min.	Mean	Max.
WB (4.0 m)	72.7	72.5	72.4	72.1	72.0	71.8	72.8	75.0	75.4	76.0	76.0	76.4	76.3	76.4	76.0	76.3	75.4	74.8	74.2	73.8	73.4	73.2	73.1	72.8	71.8	67.2	74.2	79.5		
WB (2.0 m)	72.6	72.6	72.4	72.2	72.0	71.8	72.8	75.0	75.4	76.1	76.3	76.6	76.7	76.2	76.5	76.4	75.5	75.0	74.3	74.0	73.5	73.3	73.1	72.8	71.9	67.2	74.2	79.5		
WB (0.5 m)	73.0	72.9	72.8	72.5	72.4	72.1	72.6	74.9	76.0	76.8	77.4	77.3	77.0	76.9	76.8	76.1	75.6	74.8	74.3	74.0	73.7	73.5	73.2	71.9	67.7	74.7	62.0			
BP	.763	.750	.736	.731	.733	.744	.744	.765	.782	.794	.798	.791	.774	.748	.723	.699	.690	.690	.702	.724	.742	.760	.779	.786	.779	.720	.600	.749	.885	
Albrook (Forest site)	P1	0.00	0.00	0.00	0.00	0.05	0.10	0.02	0.03	0.27	0.18	0.04	0.08	0.12	0.24	0.11	0.33	0.13	0.00	0.09	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
P2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.00	0.16	0.06	0.10	0.05	0.07	0.28	0.08	0.23	0.13	0.00	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
P3	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.08	0.00	0.00	0.00	0.33	0.09	0.05	0.06	0.11	0.28	0.11	0.32	0.15	0.01	0.08	0.00	0.00	0.00	0.00	0.00	0.01	0.01	
P4	0.00	0.00	0.00	0.00	0.00	0.02	0.09	0.00	0.01	0.26	0.14	0.10	0.06	0.17	0.34	0.09	0.41	0.15	0.01	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	1.75	

WB (4.0 m)	72.9	72.7	72.5	72.4	72.2	72.0	73.5	74.9	75.4	75.7	75.8	75.6	75.5	75.7	75.5	75.1	74.6	74.0	73.9	73.7	73.5	73.2	73.0	71.7	67.5	74.1	79.7		
WB (2.0 m)	72.8	72.7	72.5	72.4	72.2	72.1	73.5	75.1	75.6	75.7	75.9	75.7	75.7	75.9	75.6	75.2	74.8	74.1	73.9	73.7	73.5	73.2	73.0	71.6	67.7	74.2	78.8		
WB (0.5 m)	72.9	72.9	72.5	72.4	72.1	72.0	73.5	75.6	76.1	76.5	76.3	77.2	77.0	76.6	76.5	76.3	75.6	75.1	74.4	74.1	73.8	73.5	73.3	73.0	71.9	67.5	74.6	79.6	
BP	.860	.845	.831	.826	.830	.843	.859	.879	.893	.896	.890	.871	.847	.819	.798	.789	.791	.803	.826	.839	.861	.877	.884	.873	.719	.720	.847	.945	
PS	0.00	0.00	0.00	0.00	0.10	0.06	0.05	0.05	0.39	0.06	0.06	0.08	0.03	0.06	0.16	0.02	0.42	0.19	0.03	0.00	0.00	0.00	0.00	0.00	0.01	0.01	4.60	1.09	

**SUMMARY OF METEOROLOGICAL OBSERVATIONS**  
**HOURLY DATA**  
**APRIL 1967**

Exposure	Site	Code#	Monthly Ranges <sup>2</sup> of other Elements by Hour																								Monthly Summary*
			01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	
WB (4.0 m)	4.9	5.2	5.7	6.5	6.7	7.6	7.3	4.4	3.8	4.6	5.9	5.3	5.4	5.8	5.9	6.3	5.0	5.2	4.0	4.6	5.4	5.0	4.1	4.1			
WB (2.0 m)	4.9	4.9	5.7	6.5	6.9	7.8	7.2	4.2	3.6	4.0	5.4	5.6	5.2	4.8	5.0	5.7	4.8	5.2	4.2	4.3	4.9	5.0	3.6	4.0			
WS (0.5 m)	4.6	4.9	5.5	6.1	6.9	7.3	7.8	5.4	3.9	4.4	4.3	5.6	6.3	7.3	7.5	7.2	4.4	4.8	4.2	4.1	4.0	3.6	3.4	3.9			
BP	.175	.160	.165	.160	.165	.170	.170	.180	.145	.155	.185	.180	.175	.170	.170	.185	.180	.190	.175	.165	.175	.170	.175	.185			
P1	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.03	0.00	0.00	0.07	0.08	0.44	1.02	0.33	1.20	0.45	0.00	0.15	0.00	0.00	0.00	0.00	0.00			
P2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.05	0.80	0.17	0.82	0.41	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
P3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.10	0.11	0.74	0.28	1.00	0.46	0.00	0.00	0.00	0.00	0.00	0.00	0.00			
P4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.10	0.36	0.90	0.24	1.74	0.54	0.00	0.00	0.00	0.00	0.00	0.00	0.00			

\* No monthly summary was computed for the ranges.

WB (4.0 m)	5.0	5.1	5.0	5.9	5.7	6.8	5.2	4.6	4.1	6.0	5.7	6.6	4.6	5.7	4.9	7.0	4.7	3.8	4.2	3.9	3.3	3.7	4.0			
WB (2.0 m)	4.8	4.8	5.0	6.1	5.9	6.5	5.0	4.3	3.9	3.5	4.8	4.4	4.7	4.8	4.7	4.4	5.2	4.4	3.3	3.7	3.5	3.0	3.8	4.1		
WB (0.5 m)	5.1	5.0	5.0	6.1	6.8	7.1	6.1	4.7	3.8	4.4	4.7	4.5	4.1	4.5	4.5	5.1	4.2	4.3	4.6	3.9	3.7	3.7	3.3	4.0		
BP	.165	.165	.155	.160	.175	.175	.170	.180	.155	.160	.160	.175	.170	.160	.180	.185	.175	.168	.170	.160	.170	.165	.175	.170		
PS	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.10	0.15	0.03	0.34	0.03	1.03	0.79	0.04	0.00	0.00	0.00	0.00	0.00		

WB = Wet bulb temperature (°F)  
 BP = Barometric pressure (in. of Hg minus 29.0)  
 PS = Precipitation at 1.0 m. in open area (in.)  
 P1 = Precipitation at 46.0 m. above canopy (in.)  
 P2 = Precipitation under full canopy (in.)  
 P3 = Precipitation under drip canopy (in.)  
 P4 = Precipitation under open canopy (in.)

2 Monthly ranges of precipitation are computed for precipitation days.

**SUMMARY OF METEOROLOGICAL OBSERVATIONS**  
**HOURLY DATA**  
**APRIL 1967**

Exposure	Site	Level	Monthly Means of Wind Speed by Hour (miles/h.)																								Monthly Summary				
			01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	No. of Obs.	Mean	Max.		
AIRBOOK (Forest site)		46.0 m	4	4	4	4	4	4	4	3	5	5	6	8	7	7	8	8	8	6	5	5	5	4	5	718	0	5	18		
		28.5 m	2	2	2	1	1	2	2	2	3	3	4	3	4	3	3	3	3	2	2	2	2	2	2	718	0	2	10		
		26.5 m	2	2	2	1	1	2	2	2	3	3	4	3	4	3	3	3	3	2	2	2	2	2	2	718	0	2	10		
		13.5 m																													
		8.0 m																													
		4.0 m	0	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	0	0	0	0	0	1	0	718	0	1	5		
		2.0 m																													
		1.0 m																													
		0.5 m																													

Exposure	Site	Level	Monthly Means of Wind Speed by Hour (miles/h.)																								Monthly Summary					
			01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	No. of Obs.	Mean	Max.			
CHIVA CHIVA (Open site)		46.0 m	7	7	7	6	6	5	6	7	8	9	10	12	12	11	11	11	12	11	11	11	12	10	9	10	8	7	699	0	9	21
		28.5 m	5	5	5	4	4	4	4	6	7	8	9	11	11	10	11	9	8	8	8	6	6	6	5	5	587	0	7	21		
		26.5 m	2	3	3	2	2	2	4	6	5	7	9	9	7	8	9	6	6	6	6	4	4	3	3	3	674	0	5	20		
		13.5 m																														
		8.0 m																														
		4.0 m	3	3	3	2	2	2	2	4	5	6	6	8	8	7	8	8	6	5	5	4	3	4	3	3	699	0	5	16		
		2.0 m	1	1	1	1	1	1	1	2	4	4	5	6	6	5	6	5	4	3	3	2	2	1	1	1	719	0	3	16		
		1.0 m																														
		0.5 m																														

**SUMMARY OF METEOROLOGICAL OBSERVATIONS**  
**HOURLY DATA**

APRIL 1967

Exposure Site	Level	Monthly Ranges of Wind Speed by Hour (miles/hr.)																								Monthly Summary*	
		01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24		
Albrook (Forest site)	46.0 m	8	8	8	10	8	8	3	8	12	15	13	12	13	18	15	17	16	13	12	12	10	8	9	8		
	28.5 m	5	6	5	5	4	4	6	6	6	8	8	7	8	9	10	9	8	7	6	5	5	6	5			
	26.5 m	5	6	5	5	4	4	6	6	6	8	8	7	8	9	10	9	8	7	6	5	5	6	5			
	13.5 m																										
	8.0 m																										
	4.0 m	3	3	3	4	3	1	1	1	3	2	3	5	3	4	3	2	3	2	1	2	3	2				
	2.0 m																										
	1.0 m																										
	0.5 m																										

\* No monthly summary was computed for these ranges.

Exposure Site	Level	Monthly Ranges of Wind Speed by Hour (miles/hr.)																								Monthly Summary*	
		01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24		
Chitwa Chitwa (Open site)	46.0 m	11	10	13	12	11	12	11	12	11	12	11	12	11	12	11	12	11	12	11	12	11	12	11	13		
	28.5 m	9	11	13	9	9	11	11	12	14	15	16	16	18	18	18	17	19	14	14	14	14	12	12	11		
	26.5 m	11	9	11	13	9	9	11	11	12	14	15	16	16	18	18	18	17	19	14	14	14	12	12	11		
	13.5 m	8	12	14	8	9	9	12	13	20	16	18	14	16	18	18	19	16	19	17	13	12	12	8			
	8.0 m																										
	4.0 m	7	6	9	3	5	6	7	7	7	11	12	14	13	15	14	13	14	13	9	9	7	9	8	8		
	2.0 m	4	9	5	7	3	4	5	6	9	13	12	12	12	16	15	11	15	13	8	9	6	6	5	9		
	1.0 m																										
	0.5 m																										

## ALBROOK (Forest site) APRIL 1967

Relative Frequencies \* of Wind Directions by Hour at 46.0 m.  
(%)

Dir.	Hr.																								
	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	
N	6.7		3.3		3.3		20.6	26.7	10.0	16.7	17.2	13.3	3.3	10.0		6.7		3.3	3.3						
NNE			3.3	3.3		3.3			10.0			3.4	6.7		3.3	3.3							3.3		
NE	3.3		3.3		3.3		3.3	6.7			3.3	3.4	6.9	3.3										3.3	
ENE							3.3	3.3	6.7								3.3							3.3	
E								3.3			10.3	6.9		3.3											
ESE									6.7	3.3		3.4	3.4		3.3										
SE							3.3	10.0		3.3	16.7	10.3		3.3	6.7	3.3									
SSE								6.7		13.3	6.7	10.3	6.9	6.7	3.3		3.3								
S							3.3	3.3	10.0	3.3	6.7	3.4	10.3	10.0		6.7	3.3	3.3							
SSW									3.3	3.3						3.3	3.3								
SW										3.3		3.4	3.4												
WSW	6.7	10.0	20.0	20.0	10.0	16.7	16.7	26.7	3.3	6.7	6.7	3.3	6.9	3.4	3.3	3.3	3.3	3.3	10.0	5.7	16.7				
W	33.3	53.3	43.3	40.0	46.7	36.7	43.3	33.3	10.0	3.3	3.3	13.3		3.3	13.3	10.0	40.0	53.3	43.3	46.7	36.7				
WNW	23.3	10.0	10.0	13.3	10.0	3.3	5.7	6.7	3.3	10.0	10.0	6.7	3.4	6.7	3.3	16.7	13.3	6.7	26.7	16.7	20.0	6.7			
NW	6.7	6.7				6.7		3.3	6.7	10.0	10.0	10.0	3.3	10.3	24.0	20.0	23.3	20.0	26.7	16.7	23.3	3.3	3.3	6.7	
NNW	3.3							6.7	3.3		13.3	3.3	16.7	16.7	17.2	6.9	10.0	36.7	16.7	13.3		6.7	3.3	6.7	
CALM	20.0	20.0	23.3	20.0	20.0	26.7	3	16.7	26.	6.7	6.7	3.3		3.4	6.7	13.3	20.0	5.7	16.7	13.3	10.0	0.0	16.7	16.7	

\* Note: Due to rounding, percentages totals do not equal 100%.

ALBROOK (Forest site) APRIL 1967

		Relative Frequencies * of Wind Directions by Hour at 26.5 m. ( % )																							
Dir.	Dir.	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
N		6.7				6.7		3.3	6.7	10.0	13.3	10.0	3.4	10.3	13.3	20.0	13.3	3.3	6.7	3.3	3.3	6.7			
NNE						3.3	10.0	3.3	3.3	10.0		6.9		6.7	6.7	3.3	3.3	6.7							
NE								3.3		10.0	6.9	10.3	6.7	3.3	3.3	3.3	3.3	3.3							
ENE						3.3	13.3	3.3				6.9	6.7	3.3		3.3									
E						6.7	10.0	13.3	3.3	20.6	3.4	10.0		10.0											
EESE								3.3		3.3				3.3	3.3			3.3							
SE						3.3		3.3	10.0	6.9			3.3	3.3		3.3									
SSE								10.0	3.3	10.3		3.4	3.3	3.3											
S						10.0	10.0	3.3	10.0	10.0	10.3	17.2	13.3	10.0	13.3		3.3								
SSW								3.3	13.3	3.3	3.3					3.3									
SW		3.3				3.3	3.3			6.7	3.4					3.3		3.3							
WSW		3.3				3.3	3.3	6.7	3.3	3.3	6.7	3.4				3.3	3.3			3.3				6.7	
W	16.7	20.0	13.3	20.0	16.7	3.3	13.3	16.7		6.7	6.7	3.4	6.9		6.7	3.3	6.7	6.7	3.3	13.3	6.7	20.0	20.0		
WNW	20.0	20.0	16.7	13.3	6.7	30.0	20.0	30.0	6.7	6.7	10.0	6.7	6.9		3.3	6.7	16.7	16.7	23.3	26.7	33.3	36.7	30.0		
NW	40.0	26.7	23.3	23.3	26.7	6.7	23.3	10.0	30.0	3.3	10.0	3.3	10.3	20.6	13.3	10.0	16.7	30.0	30.0	26.7	33.3	20.0	16.7	26.7	
NNW	3.3	3.3	3.3					3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	
CALM	26.0	23.3	36.7	43.3	46.7	40.0	23.3	10.0	16.0	6.7	23.3	10.3	16.7	13.3	13.3	13.3	16.7	23.3	16.7	23.3	20.0	23.3			

\* Note: Due to rounding, percentage totals do not equal 100%.

## ALBROOK (Forest site) APRIL 1967

Dir.	Relative Frequencies* of Wind Directions by Hour at 4.0 m. (%)																									
	Hr.	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	
N	6.7	3.3	3.3	10.0		3.3		3.3		3.3		3.3				3.3	6.7	13.3	6.7	3.3	3.3			6.7		
NNE						3.3		3.3		3.3		6.7		6.9	10.3					3.3	3.3		3.3	6.7		
NE	3.3	3.3					3.3		3.3		3.3		6.9		6.7	3.3	3.3					3.3				
ENE								6.7	3.3	3.3		3.4									6.7					
E								6.7	16.7	3.3	10.0	10.3	6.9	3.3	10.0											
ESE											3.3	16.7	6.9	6.7		3.3										
SE											3.3	3.3	13.7	3.4						3.3						
SSE											3.3	3.3	3.3	3.4	6.9		3.3					3.3				
S											13.3	6.7	13.3	20.0	23.3	17.2	10.3	10.0	10.0	13.3	6.7			3.3		
SSW											3.3	3.3	3.3				6.7									
SW											6.7	6.7	3.3	3.4	3.4							6.7	6.7	3.3	3.3	
WSW											3.3	3.3	3.3	3.4	3.4							2.3	3.3	3.3		
W	3.3										3.3													6.7	3.3	10.0
WNW	6.7	3.3	3.3	10.0	3.3	6.7	6.7				3.3		3.3	3.4	3.4									6.7	3.3	13.3
NW	10.0	10.0	13.3	6.7	6.7	10.0	3.3	3.3	3.3	3.3			3.4	3.3	6.7			3.3		6.7	3.3	10.0	10.0			
NNW	3.3	3.3									3.3		3.3											3.3		
CALM	70.0	80.0	76.7	80.0	86.7	76.7	80.0	66.7	50.0	36.7	36.7	30.0	20.6	41.7	50.0	56.7	50.0	70.0	66.7	76.7	70.0	73.3	66.7	63.3		

\* Note: Due to rounding, percentage totals do not equal 100%.

## CHIVA CHIVA (Open site) APRIL 1967

Dir.	Relative Frequencies * of Wind Directions by Hour at 46.0 m. ( % )																						
	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
N	3.3	6.9	6.3	10.3	10.0	6.9	10.7	12.7	24.0	30.9	17.2	14.2	13.7	7.5	20.0	13.7	6.7	17.2	6.9	6.9	3.4	3.4	3.3
NNE	6.7	6.7								10.3	13.7	10.3	7.2	3.4	10.7	3.3	3.4	6.7					
NE													3.4				3.4	3.3					
ENE										10.3	3.4		3.4		3.4	3.5			3.3	3.4	3.4	6.9	
E	3.3							3.4	3.4	3.4	7.2		7.2		3.5	3.5		3.3			3.4	3.3	
ESE									6.9	3.4	3.4	6.9	3.5										
SE	3.3								10.3	3.4	6.9	19.7	10.3	3.5	6.7	6.9			3.4				
SSE										3.4	6.9	7.2	6.9			3.3	3.4						
S		6.7		3.5	6.9	3.4	6.9	10.3		3.5	6.9	10.7					3.3	10.3					
SSW											6.9	3.4		3.4	3.5	6.9							
SW		3.3										3.4		3.4		3.3							
WSW	6.9	6.7										6.9				3.4							
W	3.3	3.4	3.3	3.3	3.4	10.0	6.9	3.5	3.4	3.4	7.2					6.9	6.9	6.7	3.4				
WNW	13.3	17.2	20.0	13.3	20.6	16.7	20.6	10.7	3.4	3.4	3.5	3.4			3.3	6.9	6.7	13.7	3.4	16.7	13.7		
NW	40.0	37.8	40.0	50.0	54.9	33.3	48.1	50.0	3.7	13.7	10.3	17.2	14.2	6.9	21.4	30.0	13.7	13.3	20.6	30.9	34.3	44.6	33.3
NNW	30.0	27.5	26.7	20.0	6.9	23.3	10.3	21.4	27.5	13.7	13.7	17.2	21.4	37.8	39.3	26.7	37.8	50.0	37.8	41.2	41.2	36.7	17.2
CALM																		3.3					

\* Note: Due to rounding, percent totals do not equal 100%.

## CHIVA CHIVA (Open site) APRIL 1967

Relative Frequencies \* of Wind Directions by Hour at 26.5 m.  
( % )

Dir.	Hr.																								
	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	
N	13.7	24.9	6.9	13.7	10.7	21.4	7.2	22.2	28.6	29.6	28.6	21.4	25.9	35.6	22.2	24.0	21.4	34.3	42.8	35.6	28.6	17.9	34.3	14.2	
NNE	3.4	3.5	6.9	3.4	7.2	7.2	3.5	3.7	7.2	11.1	21.4	10.7		10.7	11.1	13.7	14.2	6.9	3.5	7.2	3.5	3.5			
NE	3.4		3.4				3.5		3.5		3.7	7.2	10.7	14.8	7.2	3.7	3.4	7.2	3.4	3.5	3.5			3.4	
ENE											7.2				3.7		7.4		6.9						
E	3.4		3.4								7.4	3.5	3.5	7.4	3.5				3.4	3.5		7.2	3.5		
E,E											3.5		3.5	7.2			3.5	7.2						3.5	
SE		6.9	3.4		3.5						14.2	3.7	10.7		11.1	10.7		3.4							
SSE												7.4	3.5	3.5	3.7	3.5	7.4		10.7						
S	3.4	3.5									3.5		3.5	10.7	3.7	10.7	7.4	3.4		3.4	7.2				
SSW						3.5						3.7	3.5	3.5											
SW			3.4								3.7		7.4	3.5	3.5			3.7	3.4	3.5				3.5	
WSW		3.5	3.4									3.5													
W		3.4			3.5	7.2	3.7		7.4				3.7		3.7				3.5			7.2	10.3	3.5	
WNW	10.3	3.5	3.4	13.7	7.2	3.5	17.9	3.7	3.5				3.5	3.7				7.2	6.9	3.5		3.5		7.2	
NW	20.6	17.9	17.2	20.6	46.3	21.4	17.9	25.9	14.2				3.7	7.2	3.7	10.3	7.2	3.4		17.9	21.4	14.2	13.7	23.6	
NNW	37.8	32.1	41.2	27.5	21.4	24.9	28.6	29.6	14.2	14.5	24.9	18.5	3.5	24.9	18.5	10.7	25.9	27.5	24.9	24.0	28.6	28.6	32.1	37.0	37.8
CALM	3.4	10.7	13.7	3.4	7.2	7.2	10.7	7.4									3.4		6.9	3.5	3.5	3.5	3.5		

\* Note: Due to rounding, percentage totals do not equal 100%.

## CHIWA CHIWA (Open site) APRIL 1967

Relative Frequencies \* of Wind Directions by Hour at 4.0 m.  
(%)

Dir.	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	
N	6.9	6.7	6.7	17.2	6.7	6.9	10.7	24.0	6.9	30.9	20.6	17.9	13.7	10.7	16.7	13.7	13.3	6.9	6.9	10.3	13.7	13.3	13.7		
NNE	3.3	13.7	13.3		3.4	13.3		3.5	3.4	3.4	13.7	10.3	3.5	3.4	3.5	6.7	13.7	6.7	3.4		3.4		3.3	3.4	
NE	6.7		13.3			13.3		7.2	6.9	10.3	3.4	6.9	3.5	10.3	10.7	3.3	3.4	10.0	3.4	6.9	3.4		3.3	3.4	
ENE	6.7	3.4	6.7	3.3	6.9		3.4		3.4						3.4		3.3								
E	3.4	3.3		3.3	3.4		3.4		3.4						7.2										
ESE									3.4		3.4	6.9	3.5		3.5		3.3								
SE	3.3	3.3							6.9		3.4			13.7		6.7		3.3							
SSE									10.3		3.4		14.2		3.5		6.9		3.4						
S									6.9	3.5	10.3	6.9	13.7	17.2	7.2	10.3	14.2	3.3	6.9	3.4					
SSW									3.5		13.7	3.4	3.4		3.5		3.3								
SW	3.3				3.4					6.9	3.4					6.9									
WSW	3.3									3.4				3.4			3.3								
W	3.3	3.4				3.3	10.3	7.2	3.4		3.4		7.2				6.9		3.4						
WNW	10.0	6.9	13.3	16.7	17.2	3.3	13.7	10.7	3.4				6.9		3.3	10.3	6.7		6.9	10.3	17.2	6.7	17.2		
NW	50.0	34.3	43.3	36.7	27.5	16.7	30.9	32.1	17.2	20.6	3.4	24.0	21.4	17.2	14.2	20.0	10.3	10.0	20.6	30.9	34.3	17.2	40.0	37.8	
NNW	16.7	20.6	10.0	3.3	13.7	26.7	6.9	17.9	10.3	17.2	10.3	14.2	17.2	35.6	25.7	36.7	48.1	41.2	34.3	4.2	20.0	10.3			
CALM	3.3	6.9	3.3	6.7	13.7	13.3	13.7										3.3	3.4					3.3	6.9	

\* Note: Due to rounding, percentage totals do not equal 100%.

# SUMMARY OF NON HOURLY DATA

APRIL 1967

Summary of Elements with Non-hourly Frequencies of Observation

Site	Element, Units and Exposure	Description	Number of Obs.	Minimum Value	Mean or Total Value	Maximum Value
Albrook (Forest site)	WBGT Index <sup>1</sup> (at 1.5 meters)	Index value	402	68.1	77.4	83.1
		Dry bulb temp.	402	68.2	80.3	92.5
		Wet bulb temp.	402	68.0	75.8	81.0
		Black bulb temp.	402	68.2	81.5	95.1
	Evaporation <sup>3</sup> (in. at 4 levels)	Piche (46.0 m)	29	0.024	14.660*	0.909
		Piche (26.5 m)	29	0.024	9.253*	0.586
		Piche (13.5 m)	28	0.012	4.613*	0.293
		Piche ( 0.5 m)	26	0.006	3.123*	0.244
	Precipitation from Raingauge Network <sup>2</sup> (in. at 1.0 meters)	Gauge # 1	20	0.01	6.09*	2.25
		Gauge # 2	20	0.01	5.97*	1.41
		Gauge # 3	19	0.01	6.28*	1.67
		Gauge # 4	19	0.01	5.04*	1.20
		Gauge # 5	19	0.01	5.93*	1.47
		Gauge # 6	18	0.01	5.44*	1.39
		Gauge # 7	20	0.01	4.72*	0.96
		Gauge # 8	18	0.01	4.98*	1.09
Chiva Chiva (Open site)	Stem Flow <sup>2</sup> (in. at 2.0 meters)	Small tree	16	0.01	5.70*	1.37
		Medium tree	16	0.01	4.76*	1.00
		Large tree	12	0.01	46.96*	19.75
Chiva Chiva (Open site)	WBGT Index <sup>1</sup> (at 1.5 meters)	Index value	412	67.0	80.1	88.5
		Dry bulb temp.	412	67.5	83.8	97.0
		Wet bulb temp.	412	67.0	76.0	80.1
		Black bulb temp.	412	66.7	92.6	120.8
	Evaporation <sup>3</sup> (in. at 0.5 meters)	Piche	30	0.024	12.673*	0.744
		Pan	27	0.037	5.711*	0.349
	Minimum Grass temp <sup>3</sup> (°F at grass tips)	None	27	65.3	70.0	73.8

1 - Hourly observations between 0600 and 1900 hours inclusive

\*Total Values

2 - Six hourly observations

3 - Daily observations

## UNCLASSIFIED

Security Classification

## DOCUMENT CONTROL DATA - R &amp; D

(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)

1. ORIGINATING ACTIVITY (Corporate author)		2a. REPORT SECURITY CLASSIFICATION <b>UNCLASSIFIED</b>
US Army Tropic Test Center Fort Clayton, Canal Zone		2b. GROUP
3. REPORT TITLE Monthly Microclimatic Summary, April 1967: Environmental Data Base for Regional Studies in the Humid Tropics		
4. DESCRIPTIVE NOTES (Type of report and inclusive dates) <b>Data Summary, April 1967</b>		
5. AUTHOR(S) (First name, middle initial, last name)		
6. REPORT DATE <b>September 1967</b>		7a. TOTAL NO. OF PAGES <b>28</b>
6b. CONTRACT OR GRANT NO.		7b. NO. OF REFS
8. PROJECT NO. 2M025001A724-01		8c. ORIGINATOR'S REPORT NUMBER(S)
9. USATECOM No. 9-4-0013-01		8d. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)
10. DISTRIBUTION STATEMENT  Distribution of this document is unlimited		
11. SUPPLEMENTARY NOTES		12. SPONSORING MILITARY ACTIVITY Advanced Research Projects Agency Army Research Projects Office, OCRD
13. ABSTRACT  This report contains detailed microclimatic data for April 1967 from specific sites in the Panama Canal Zone and vicinity. The data are presented in tabular form, summarized for hourly and/or daily observations from surface to 46-meter levels. Elements listed are: temperature, pressure, precipitation, wind speed and direction, relative humidity, and evaporation.		

14.

## KEY WORDS

Climate  
Microclimatology  
Tropic Environment  
Humid Tropics  
Panama Canal Zone Microclimatology  
Data Base

LINK A      LINK B      LINK C

ROLE WT    ROLE WT    ROLE WT

ROLE WT    ROLE WT    ROLE WT